



Coffeed
powered by Televend



AmiClo
powered by Televend

Machine configuration

- I. Integrated libraries and machine compatibility in the HoReCa segment
- II. Step1: connect machine to internet
- III. Step2: link machine to cloud (Coffeed + AmiClo)

Compatible machines with embedded libraries

- **La Radiosa:** Software version to be installed to support Coffeed + AmiClo is from 1.6.14
- **Kalea Plus:** Software version to be installed to support Coffeed + AmiClo is from 1.13.9

Coming soon

- **Krea touch:** official release expected January 2022
- **La Solare :** official release expected February 2022

Machine serial number and asset number



The screenshot shows a software interface for configuring a machine. At the top left, there is a dark grey header with a checkmark icon, the text 'Machine Number and Name', and the version number '4.4'. Below this is a navigation bar with several icons (a water drop, a gear, a bar chart, a document, and a wrench) and the word 'Factory' on the right, accompanied by a UK flag icon. The main content area is titled 'Machine Number and Name' with a star icon on the right. It contains three input fields: 'Machine asset number' with the value '11111111', 'Machine serial number' with the value '50000000', and 'Machine name' with the value 'Opera Touch'.


To work with Coffeed + AmiCLO, the following parameters need to be set:

- Serial number
- Asset Number.

Please verify both values are correctly configured in the menu

Note: once serial number is inserted it cannot be modified anymore


STEP1: CONNECT MACHINE TO INTERNET



Machine needs to be connected to Internet through one of the following connectivity methods:

- Wi-fi
- Ethernet
- 4G

Connectivity switch




N.B. If connectivity procedure is done with machine door open, it is very important to have connectivity switch correctly positioned so that machine can be connected with acknowledgment of the person in front of the machine.

Machine won't be able to connect if the switch is not open and door is open.

Note: In case of message «connectivity switch» has changed too sharply his status, it is suggested to reboot machine

STEP1: Connect machine to Internet

WiFi connection




The screenshot shows a WiFi configuration interface. At the top, there are system icons and the word 'Factory'. Below that, the title 'Wifi' is displayed with a star icon. The interface includes several sections: 'ACTIVE:' with a checked checkbox; 'SSID:' with an empty text field; 'Encryption:' with a dropdown menu showing 'WPA Personal'; 'Pass:' with an empty text field; 'Show password' with a checkbox; 'DHCP:' with a checked checkbox. Below these is a section for manual IP configuration with fields for 'Ip address:', 'Mask IP address:', 'Gateway Ip address:', 'DNS IP address:', and 'Mac address:'. A 'Test now' button is located at the bottom right of this section. At the very bottom, there are 'Discard' and 'Save' buttons. Yellow arrows point from the text on the right to these specific elements in the screenshot.

- Flag
- Insert name of the Wifi network
- Select WPA Personal in combo box menù (or different setting accordingly to encryption method used by network owner)
- Insert password
- If network to which it is intended to be connect does not support DHCP it is possible to manually insert information
- If connection is ok, fields will be filled in automatically
- TEST NOW allows to understand if the connection works normally.

STEP1: Connect machine to Internet

Ethernet (LAN)



Flag

If network does not support DHCP it is possible to configure parameters manually

TEST NOW allows to understand if connection works normally.

All fields will be filled in automatically if everything is ok

Note: Not all the machines have ethernet port on the board

STEP1: Connect machine to Internet

Modem 4G (optional)

Factory

4G modem

ACTIVE :

PIN : 1234

APN : example.address.apn

Username :

Password :

Show password

Status :

Network : Not available

Discard Save

Flag

PIN does not have to be configured.

APN field must stay on default «orange.m2m.spec»


Button show status is to see if machine is correctly online.

Once inserted 4G modem and SIM, it will be present automatic connection to an operator in roaming.

Note: No machines have 4g modem pre-installed (optional kit)

STEP2: link machine to the cloud (Coffeed + AmiClo)

Integrated Connectivity box settings




Once online, go to menù to start the procedure for asking the license

Cloud → Integrated connectivity box → Integrated connectivity box settings

STEP2: link machine to the cloud (Coffeed + AmiClo)


Integrated Connectivity box settings



Flag Enabled to activate the option.

STEP2: link machine to the cloud (Coffeed + AmiClo)

Integrated Connectivity box settings



Once Enabled, it will show up:


- **Domain:** is the field into which it goes inserted **vms0 (zero)**
- **Activation code:** must be provisioned by Evoca and it corresponds to a license.

This code is different for each machine. Once assigned the code on a machine, it won't be possible to use it on different machines.

Note: license code is provided when the order module in the contract is sent. This code is not generated in real time: please verify to have the code before to start the registration process in the machine

STEP2: link machine to the cloud (Coffeed + AmiClo)

Integrated Connectivity box status



If a valid activation key is inserted:

- In the **Integrated connectivity box status menu** will be shown a PID that corresponds to a Serial Number which identify .
- Once the Serial Number is shown, go to Televend cloud (vms) and proceed to the machine registration (see cloud configuration).

STEP2: link machine to the cloud (Coffeed + AmiClo)

Enable AmiClo



Once the PID is shown, to begin communication with AmiClo flag «Enable AmiClo»

Note: if you need to perform reset/reboot from remote, it is necessary to enable 3 flags into AmiClo technical menù (optional)

Conclusion's procedure on machine

CONCLUSIONS:

- **With step1 machine is connected to Internet**
- **With step2 connection to cloud is established (Coffeed + AmiClo)**

On machine side configuration is concluded.





newis

Coffeed

- I. Cloud configuration
- II. Retrieved information

Log in

- Access to Televend portal through credentials gotten via mail:
- Suggested browsers: Google Chrome e Edge
 - Link: <https://vms-horeca.televendcloud.com/dashboard>



- Email address/Password: **Communication received via mail**

Region Creation

The screenshot displays the 'Regions' management interface. The sidebar on the left contains the following menu items: Application EVOCA, Administration, Machines, Machine Categories, Machine Brands & Models, Machine Types, Users, Locations, and Regions. The main content area features a table with the following data:

| RegionName | External Id | Remove |
|------------|-------------|--------|
| ESPAÑA | | x |
| France | | x |
| Denmark | | x |
| Italy | | x |

A '+ NEW REGION' button is located in the top right corner of the table area. Below the table, a pagination control shows '1' of 1 items.

- Before to associate a machine to the system, it is necessary to create a region (it could be the region to which belongs the province)
- Region needs to improve machine management and reports that can be generated from the system
- **Note:** check that the region you are intended to create is not in the system yet.

Create Locations

The screenshot shows the 'Locations' management interface. The table contains the following data:

| Name | Region | Address | City | Enabled | Remove |
|----------------------------|--------|---------------------------------------|--------------------|---------|--------|
| Valbrembo | Italy | Via Roma, 5, 24030 Scano Al Bre... | Scano Al Brembo | ✓ | ✕ |
| 9100 embedded aula corsi 2 | Italy | Via Roma, 24, Valbrembo, BG, Italia | Scano Al Brembo | ✓ | ✕ |
| Reggio Calabria | Italy | Largo Anime del Purgatorio, Villa ... | Villa San Giovanni | ✓ | ✕ |
| EVOCA France | France | 5 Rue Georges Pompidou, Le Mes... | Le Mesnil-Amelot | ✓ | ✕ |
| Evoca Iberia | ESPAÑA | Avda Suiza 11, 13 28821 Coslada | Coslada | ✓ | ✕ |

The interface also includes a search bar at the top of the table area and a '+ New location' button. The sidebar on the left shows the 'Locations' menu item is currently selected.

- It is also necessary to create a “Location”, i.e location where physically machine or the group of machines will be installed (Administration-> Locations)
- **Note:** check that the location you are intended to create is not in the system yet.

Create locations

- Push “New location” and insert data of the location (associate it to the region created before)

Location

Enabled location

Location * City * Address *

Region Phone Email

Submit

Location

ind locati

name

/albrembs

1000 embes

teggio Cal

VOCA Fra

ivoca Iberia

ESPAÑA

Avda Suiza 11, 13 28821 Coslada Coslada

1

Machine creation

It is now possible to create a machine.

- Administration -> Machines -> +New machine

The screenshot shows the 'Machine List' page in the Evoca management system. The left sidebar is a dark red navigation menu with the 'Coffeed' logo and 'powered by Telecard'. The main content area has a dark header with the breadcrumb 'EVOCA STC co Official > Administration > Machines' and a user profile 'cristian.licini+44@evocagroup.com'. Below the header is a 'Machine List' table with a search bar and a '+ ADD NEW MACHINE' button. The table contains the following data:

| Name | External Id | Location | City | PID | Enabled | Remove |
|-----------------------|-------------|--------------|------------------|-----------------|---------|--------|
| La_Radiosa_showroom | | Valbrembo | Scano Al Brembo | EVOCA0000000238 | ✓ | ✗ |
| Kalea_Plus_showroom | | Valbrembo | Scano Al Brembo | EVOCA0000000239 | ✓ | ✗ |
| Evoca Nordic showroom | | Valbrembo | Scano Al Brembo | EVOCA0000000264 | ✓ | ✗ |
| SHOWROOM EVOCA FR | | EVOCA France | Le Mesnil-Amelot | EVOCA0000000283 | ✓ | ✗ |
| Showroom Coslada | | Evoca Iberia | Coslada | 90TSM00296 | ✓ | ✗ |
| Krea_Touch_Showroom | | Valbrembo | Scano Al Brembo | 90TSM00362 | ✓ | ✗ |
| LaRadiosa STC Ita | | Valbrembo | Scano Al Brembo | 90TSM00361 | ✓ | ✗ |

At the bottom of the table, there is a pagination control showing '< 1 >'.

Machine creation

- In the field PID insert the code shown on the “Integrated connectivity box status” menu of the machine
- Push on «Save» at the end of the operation.


La_Radiosa_showroom TVD machine

GENERAL SETUP

| | | | | | | |
|--------------|---------------------|---------------------|----------------|----------------------|-------------------|------------|
| Name * | La_Radiosa_showroom | Machine External Id | Machine Type * | Hot beverage machine | Installation Date | 2021-05-25 |
| Location * | Valbrembo | Model Number | Brand | Gaggia | Model | La Radiosa |
| Category | Description | | | | | |
| Audit Device | Televend | + Add Device | PID | EVOCA0000000238 | | Save |

Product registration

- Product registration into database is done automatically through communication machine to cloud
- Selection number visualized corresponds to the number visualized into machine menu 4.2.4




The screenshot displays the Coffeed application interface. The left sidebar is red and contains the following menu items: Application EVOCA (with a dropdown arrow), Dashboard, Machine List, Reports, Administration (with a right-pointing arrow), and News. The main content area is titled 'La_Radiosa_showroom' and features a navigation bar with tabs for Overview, Beverages (which is selected), Events, Beverages List, and Cleaning Schedule. Below the navigation bar is a table with two columns: Selection and Product.


| Selection | Product |
|-----------|--------------------|
| 2 | Chocolate |
| 3 | Milk |
| 5 | Cappuccino |
| 8 | Hot Water |
| 10 | Latte Macchiato |
| 11 | Cold Milk |
| 12 | Espresso Macchiato |
| 14 | Americano |
| 20 | Espresso |
| 21 | 2x Cappuccino |

Retrieved information

- At this point machine will be able to send to cloud all products dispensed in real time and all events generated from the machine

The image shows the main content area of the application for a machine named "La_Radiosa_showroom". The page has a dark header with the machine name and a user profile. Below the header are navigation tabs: "Overview", "Beverages", "Events", "Beverages List" (which is selected and underlined), and "Cleaning Schedule". A date range "01.09.2021. - 30.11.2021." is displayed. The main content is a table with the following data:


| Timestamp | Product | Selection |
|----------------------|-----------|-----------|
| 09.11.2021. 11:41:23 | Hot Water | 8 |
| 09.11.2021. 11:40:47 | Hot Water | 8 |
| 09.11.2021. 11:40:32 | Espresso | 20 |
| 04.11.2021. 11:13:23 | Espresso | 20 |
| 04.11.2021. 11:12:39 | Espresso | 20 |
| 04.11.2021. 11:12:13 | Espresso | 20 |
| 04.11.2021. 10:42:51 | Chocolate | 2 |
| 04.11.2021. 10:42:26 | Espresso | 20 |
| 04.11.2021. 10:35:05 | Espresso | 20 |
| 04.11.2021. 10:34:29 | Hot Water | 8 |

The image shows the main content area of the application for a machine named "LaRadiosa STC Ita". The page has a dark header with the machine name and a user profile. Below the header are navigation tabs: "Overview", "Beverages", "Events" (which is selected and underlined), "Beverages List", and "Cleaning Schedule". A date range "10.12.2021. - 16.12.2021." is displayed. The main content is a table with the following data:

| Type | Name | Definition | Start | Resolved |
|------|-----------------------------|-----------------------------|----------------------|--------------|
| ! | Regulator | Regulator | 16.12.2021. 15:00:13 | Not resolved |
| i | Door Closed | Door Closed | 16.12.2021. 14:59:11 | - |
| ! | Bucket full or out of place | Bucket full or out of place | 16.12.2021. 14:52:24 | Resolved |
| ! | Canister | Canister | 16.12.2021. 14:52:23 | Resolved |
| i | Door Open | Door Open | 16.12.2021. 14:52:23 | - |
| ! | Canister | Canister | 16.12.2021. 14:52:23 | Resolved |
| ! | Vend Valve | Vend Valve | 16.12.2021. 14:52:01 | Resolved |
| ! | Vend Valve | Vend Valve | 16.12.2021. 14:19:51 | Resolved |


Retrieved information

- The machine will be also able to send to cloud all parameters in real time for boiler temperature, infusion time and product dispensed.




Retrieved information

- The machine will be able to send real time data referred to ingredients consumption



Retrieved information

- All information related to cleanings will be available on the cloud:
- User will be able to manage in real time if machine is blocked due to missing cleanings and historical data of the cleanings performed
- **Note: Rinsings performed on machines at the moment are not registered into cloud (Krea Touch).**





AmiClo

- I. Televend portal configuration for AmiClo
- II. Digital signage
- III. Machine menu
- IV. Configuration & Backup menu
- V. Software applicative menu
- VI. Deploy menu
- VII. Remote management menu

Configuration portal Televend for AmiClo

The screenshot shows the configuration portal for AmiClo. The left sidebar contains navigation options: Application EVOCA, Administration (with 'Machines' highlighted), Machine Categories, Machine Brands & Models, Machine Types, Users, Locations, Regions, and News. The main content area is titled 'La_Radiosa_showroom' and features a 'TVD machine' button in the top right corner. The configuration is split into two sections:

- GENERAL SETUP:**
 - Name: La_Radiosa_showroom
 - Machine External Id: [blank]
 - Machine Type: Hot beverage machine
 - Installation Date: 2021-05-25
 - Location: Valbrembo
 - Model Number: [blank]
 - Brand: Gaggia
 - Model: La Radiosa
 - Category: [blank]
 - Description: [blank]
 - Audit Device: Televend
 - PID: EVOCA0000000238
- TELEVEND CONFIGURATION:**
 - General (Show Advanced Options)
 - Operation Mode: MDB Brain
 - Price Mode: Price On VMC
 - Free Vend:

To configure correctly AmiClo is needed to go into menù administration → Machines and click on button TVD machine to complete configuration in setup parameters for AmiClo (see following slide).

Televend portal configuration for AmiClo

To enable machine in the Televend portal is the first step to have the machine up and running into AmiClo.

Change to test mode

Operation mode
LIVE

No connection alarm after
Never

OPERATIONS FEATURES

- Routing
- Stock tracking
- Events tracking
- Raise price incorrect for cash vends
- Meter readings
- Manual fill

ADVANCED MANAGEMENT

- Digital signage
- Digital signage unlimited
- Machine Parameters

SALES ALARM

- No cash
- No cashless1
- No cashless2
- No cashless3
- No sales

| Working hours | Working minutes |
|---------------|-----------------|
| 0 | 0 |
| 0 | 0 |
| 0 | 0 |
| 0 | 0 |
| 0 | 0 |

On the basis of the requested type of service:

- Digital Signage (20 credits)
- Content Management

Or



- Digital Signage unlimited (200 credits)
- Machine Parameters

There is no need to flag all the parameters, otherwise the costs applied will be higher

Televend portal configuration for AmiClo

Users and roles

- AmiClo has a user's structure based on roles. Company Manager should define this roles: per each



ADMINISTRATION

Televend **News** Wallet

*User role

- Operator Breasy Administrator
- No Access
- Location Manager
- Operator Guest
- Operator Digital Signage
- Operator Breasy Tech
- Operator Filler
- Operator Technician
- Operator Breasy Administrator**
- Evoca Firmware Delivery Manager
- Evoca Digital Signage Manager
- Evoca Helpdesk
- Evoca Administrator

Digital signage

- Digital Signage is the multimedia management cloud which allows users to create playlist (screensaver and dispensing) in order to deploy it on machines.
- Content of playlist (images and/or video) is uploaded inside the section MEDIA. Image downloads must not exceed 2MB each and video downloads must not exceed 10MB each. In case size is above that limit, cloud will block the download to the machine (but not the upload to the cloud).
- Playlist can be composed of video and images, only images and/or only videos within the data limit described above. Basic package of AmiClo digital signage will consist in 20 monthly credits. The Credit management is active if the service fee include data traffic only, while is not active for WiFi connection.
- Playlist are based on Templates: Operator's profile have the possibility to block steps of the template in order to force location managers to display specific content on the playlist.

* Monthly

Digital signage Playlist

- Playlist menu differentiates playlist downloaded and to be downloaded (created but not yet downloaded on machine).

AmiClo

- Machines
- Templates
- Playlists
- Media
- Configuration & Backup
- Software applicative
- Deploy
- Remote management
- Faq

Go to Televend
Logout

Playlists

Name

+ Add Filter

+ Create New

Not deployed

| Name | Playlist type | Creation date |
|-----------------------------|---------------|-------------------|
| cristian1 | Screensaver | 30/11/21, 6:08 PM |
| d-9100-nordic-disp-10-09-02 | Dispensing | 30/11/21, 6:08 PM |
| Keep Calm | Screensaver | 30/11/21, 6:08 PM |
| Maspex | Screensaver | 30/11/21, 6:08 PM |
| Screensaver City | Screensaver | 30/11/21, 6:08 PM |
| Screensaver City copia | Screensaver | 30/11/21, 6:08 PM |

Deployed

| Name | Playlist type | Creation date |
|---------------------------|---------------|-------------------|
| CRIS | Screensaver | 13/12/21, 2:56 PM |
| Playlist JDE | Screensaver | 30/11/21, 6:08 PM |
| Playlist Newis | Screensaver | 30/11/21, 6:08 PM |
| Radlosa_showroom_services | Screensaver | 30/11/21, 6:08 PM |
| SeppieME | Dispensing | 30/11/21, 6:08 PM |

Items per page: 8 1 - 5 of 5 < >

Digital signage Playlist

- Playlist menu allows also to create new playlists: screensaver, to be shown if screen saver option is enable, or dispensing to be shown during delivery

The screenshot displays the AmiClo management interface. On the left, a dark blue sidebar contains navigation options: Machines, Templates, Playlists (highlighted with a yellow box), Media, Configuration & Backup, Software applicative, Deploy, Remote management, and Faq. At the bottom of the sidebar are 'Go to Televend' and 'Logout' buttons.

The main content area is titled 'Playlists'. It features a search bar with a dropdown menu for 'Name', a search input field, and a 'Search' button. Below the search bar is an '+ Add Filter' button. A '+ Create New' button is also visible, highlighted with a yellow box.

Below the search bar, there are two tables: 'Not deployed' and 'Deployed'.

Not deployed table:

| Name | Playlist type | Creation date |
|-----------------------------|---------------|-------------------|
| cristian1 | Screensaver | 30/11/21, 6:08 PM |
| d-9100-nordic-disp-10-09-02 | Dispensing | 30/11/21, 6:08 PM |
| Keep Calm | Screensaver | 30/11/21, 6:08 PM |
| Maspex | Screensaver | 30/11/21, 6:08 PM |
| Screensaver City | Screensaver | 30/11/21, 6:08 PM |
| Screensaver City copia | Screensaver | 30/11/21, 6:08 PM |

Deployed table:

| Name | Playlist type | Creation date |
|---------------------------|---------------|-------------------|
| CRIS | Screensaver | 13/12/21, 2:56 PM |
| Playlist JDE | Screensaver | 30/11/21, 6:08 PM |
| Playlist Newis | Screensaver | 30/11/21, 6:08 PM |
| Radiosa_showroom_services | Screensaver | 30/11/21, 6:08 PM |
| SeppieME | Dispensing | 30/11/21, 6:08 PM |

At the bottom right of the interface, there is a pagination control showing 'Items per page: 8' and '1 - 5 of 5' with navigation arrows.

Digital signage Playlist

- When Create new playlist is pressed

← Playlist form

Playlist name Playlist type Playlist mode

Choose template

| | | | | |
|------------------------|------------------------|-------------------------|-----------------------|-----------------------|
| covid 19 ... | Logo Vid... | Test Vide... | Playlist 2... | Dispensi... |
| Steps 1 | Steps 1 | Steps 1 | Steps 3 | Steps 2 |
| Total step duration 27 | Total step duration 24 | Total step duration 261 | Total step duration 9 | Total step duration 6 |

No template selected

Save Deploy Download

To be filled

Digital signage Playlist

← Playlist form

Playlist name Playlist type Playlist mode

Choose template

| Steps | Total step duration |
|-------|---------------------|
| 1 | 27 |
| 1 | 24 |
| 1 | 261 |
| 3 | 9 |
| 2 | 6 |


No template selected










Save Deploy Download


Choose a
template.

Digital signage

Playlist



-  Machines
-  Templates
-  Playlists
-  Media
-  Configuration & Backup
-  Software applicative
-  Deploy
-  Remote management
-  Faq



Logout


← Playlist form


Playlist type ▾
Playlist mode ▾


Choose template

| covid 19 ... | Logo Vid... | Test Vide... | Playlist 2... | Dispensi... |
|------------------------|------------------------|-------------------------|-----------------------|-----------------------|
| Steps 1 | Steps 1 | Steps 1 | Steps 3 | Steps 2 |
| Total step duration 27 | Total step duration 24 | Total step duration 261 | Total step duration 9 | Total step duration 6 |

No template selected

 Save

 Deploy

 Download

Save
playlist

Digital signage

Media

- In the Media menu are all the multimedia files to be used for the playlist

The screenshot displays the Amiclo digital signage management interface. On the left is a dark blue sidebar menu with the Amiclo logo at the top. The menu items are: Machines, Templates, Playlists, Media (highlighted with a yellow border), Playlist media, Beverage icon, Machine logo, Configuration & Backup, Software applicative, Deploy, Remote management, and Faq. At the bottom of the sidebar is a Logout button. The main content area is titled 'Medias' and features a search bar and a 'New File' button. Below these are eight video thumbnails arranged in a 2x4 grid. Each thumbnail includes a video player interface with a progress bar and playback controls. The thumbnails are: 'Merry Christmas Videos (01).mp4', 'Newis presenta Breasy.mp4', 'Wolf - 26168.mp4', 'Seoul - 21985.mp4', 'test ab duration.mp4', '20201215_KN1', 'underwater_480x270', and 'blood'. At the bottom right of the interface, there is a pagination control showing 'Items per page: 8' and '1 - 8 of 45'.

Digital signage Media

The screenshot displays the Amiclo digital signage management interface. On the left is a dark blue sidebar with the Amiclo logo and a list of navigation items: Machines, Templates, Playlists, Media, Playlist media (highlighted with a yellow box), Beverage icon, Machine logo, Configuration & Backup, Software applicative, Deploy, Remote management, and Faq. At the bottom of the sidebar is a Logout button. The main content area is titled "Medias" and features a search bar labeled "Media name" and a "Search" button. Below the search bar is a "New File" button, which is highlighted with a yellow box. The main area contains a grid of eight video thumbnails, each with a title and a video player interface showing a progress bar and controls. The thumbnails are: "Merry Christmas Videos (01).mp4", "Newis presenta Breasy.mp4", "Wolf - 26168.mp4", "Seoul - 21985.mp4", "test ab duration.mp4", "20201215_KN1", "underwater_480x270", and "blood". At the bottom right of the main area, there is a pagination control showing "Items per page: 8" and "1 - 8 of 45".

Add new media.
Images and/or
video.

Digital signage

Media – Beverage Icons

– In the Beverage icons sub-menu

The screenshot displays the Amiclo management interface. On the left is a dark blue sidebar with the Amiclo logo and a list of menu items: Machines, Templates, Playlists, Media, Playlist media, Beverage icon (highlighted with a yellow box), Machine logo, Configuration & Backup, Software applicative, Deploy, Remote management, and Faq. At the bottom of the sidebar is a 'Logout' button. The main content area is titled 'Medias' and features a search bar with 'Media name' and a dropdown menu for 'Machine type'. Below these are two buttons: 'Search' and 'New File'. The central part of the interface is a grid of eight beverage icons, each with a title and a corresponding image:

- caffè_ristretto_HRC.png**: Image of a ristretto coffee cup.
- Altre bevandeAllCountriesSTD**: Image of a coffee set with a cup and saucer.
- americanoCioc paperMedium**: Image of an americano coffee cup with a cinnamon stick.
- blackTea plasticMedium**: Image of a black tea cup.
- cafeCreme plasticMedium**: Image of a cafe creme coffee cup.
- premiumCafÃ™ Creme plasticMedium**: Image of a premium cafe creme coffee cup with a yellow cherry.
- Carte des Cafs InstantansConcertoST...**: Image of a coffee cup and saucer.
- acqua calda**: Image of a hot water cup.


At the bottom right of the interface, there is a pagination control showing 'Items per page: 8' and '1 - 8 of 199'.

It is possible to visualize and add pictures to the beverages. Icons are divided by type of machine

Digital signage

Media – Machine logo

- In the Logo sub menu



AmiClo








- Machines
- Templates
- Playlists
- Media
 - Playlist media
 - Beverage icon
 - Machine logo
- Configuration & Backup
- Software applicative
- Deploy
- Remote management
- Faq

Logout

Medias

Media name Search

New File

| | | | |
|---|---|--|---|
| logo-newis.png  | brand_ducale  | brand-gaggia  | logo-cafection  |
| logo-saeco  | logo-necta  | 20210222_SG6a  | |


Items per page: 8 1 – 7 of 7 < >

It is possible to visualize and add images for machine logo

Machines menu

Machines list

- Machines menù shows which ones are enabled to work with AmiCLO.




The screenshot displays the AmiCLO web interface. On the left is a dark blue sidebar with the AmiCLO logo and a list of menu items: Machines, Templates, Playlists, Media, Configuration & Backup, Software applicative, Deploy, Remote management, and Faq. At the bottom of the sidebar are 'Go to Televend' and 'Logout' buttons. The main content area is titled 'Machine list' and features a search bar with a magnifying glass icon and a 'Search' button. Below the search bar is a table with the following columns: Machine name, Machine type, Region ID, and Serial number. The table contains eight rows of data. At the bottom right of the table area, there is a pagination control showing 'Items per page: 8' and '1 - 8 of 8' with navigation arrows.

| Machine name | Machine type | Region ID | Serial number |
|---------------------------|--------------|-----------|---------------|
| Kalea_Plus_showroom | kalea | Italy | 94310373 |
| Krea_Touch_Showroom | 9100 | Italy | 12345678 |
| La_Radiosa_showroom | laRadiosa | Italy | 94211816 |
| LaRadiosa STC Ita | laRadiosa | Italy | 01021860 |
| Opera_Touch_Uff_Marketing | opercon | Italy | 25409765 |
| TestaRossa | opercon | Italy | 22334455 |
| 9100_Aula_Corsi | opercon | Italy | 12121212 |
| 9100 embedded aula corsi | 9100 | Italy | 84811144 |

Machines menu

Machines functionalities

- Entering a specific machine, the frame shows what can be handled through AmiClo for that machine



The screenshot displays the AmiClo web interface. On the left is a dark blue sidebar menu with the following items: Machines, Templates, Playlists, Media, Configuration & Backup, Software applicative, Deploy, Remote management, and Faq. At the bottom of the sidebar are 'Go to Televend' and 'Logout'.

The main content area features a central image of a tall, narrow machine with a touchscreen. Below the image, a yellow-bordered box contains the following information:

- Opera_Touch_Uff_Marketing**
- Memory usage: 167.4 KB / 5.86 MB
- Software: APPLICATIVE-COMPLETEBACKUP-CONFIGURATIONGROUP
- Playlist: DISPENSING-SCREENSAVER
- Machine software version: 1.12.7

Below this box are two buttons: 'Digital signage' and 'Content management'.

To the right of the machine image is a configuration panel. At the top, it shows 'Profile: unlimited' and 'Credits: 197'. Below that, 'Last update: 2021-12-16T13:47:00Z'. A summary row shows 5 downloads and 1 upload. A 'My Downloads' button is present. Below this is a form with 'Command name' and 'Command type' input fields, and a 'Send' button. At the bottom, there is a 'Logs' section with checkboxes for 'Events' and 'Failures', each with a circular icon to its right.

Machines menu

Machines functionalities

- In this case, the shown machine has an unlimited profile and supports 200 credits per month

The screenshot displays the AmiClo web interface. On the left is a dark blue sidebar menu with the following items: Machines, Templates, Playlists, Media, Configuration & Backup, Software applicative, Deploy, Remote management, and Faq. At the bottom of the sidebar are 'Go to Televend' and 'Logout' options. The main content area is titled 'Machine details' and features a central image of a vending machine. Below the image, the machine name 'Opera_Touch_Uff_Marketing' is displayed, along with its memory usage (167.53 KB / 5.86 MB), software name (APPLICATION-COMPLETEBACKUP-CONFIGURATIONGROUP), playlist (DISPENSING-SCREENSAVER), and software version (1.12.7). To the right of the machine image is a panel with a yellow border containing the following information: Profile: unlimited, Credits: 197, Last update: 2021-12-22T15:09:00Z, and two download icons with counts 5 and 1. Below this is a 'My Downloads' button. Further down is a form with 'Command name' and 'Command type' fields, and a 'Send' button. At the bottom right is a 'Logs' section with an 'Events' checkbox and a refresh icon.

Machines menu

Remote control

- With AmiClo is possible to remotely ask the machine to execute specific commands, such as Failure reset or reboot. In this section is possible to control the selected machine, while through the Remote management menu is possible to deploy on different machines

The screenshot displays the AmiClo web interface. On the left is a dark blue sidebar with the AmiClo logo and a menu containing: Machines, Templates, Playlists, Media, Configuration & Backup, Software applicative, Deploy, Remote management, and Faq. At the bottom of the sidebar are 'Go to Televend' and 'Logout' options. The main content area is titled 'Machine details' and features a central image of a vending machine labeled 'Opera_Touch_Uff_Marketing'. Below the image, technical specifications are listed: Memory usage: 167.53 KB / 5.86 MB, Software: APPLICATIVE-COMLETEBACKUP-CONFIGURATIONGROUP, Playlist: DISPENSING-SCREENSAVER, and Machine software version: 1.12.7. To the right, a panel shows 'Profile : unlimited' and 'Credits: 197', with a 'Last update: 2021-12-22T15:09:00Z'. Below this, there are two download icons with counts '5' and '1', and a 'My Downloads' button. A yellow box highlights the 'Remote control' section, which includes a 'Command name' input field, a 'Command type' dropdown menu, and a 'Send' button. At the bottom right, a 'Logs' section is visible with a checkbox for 'Events' and an eye icon.

Machines menu

Log

- AmiClo can retrieve log information from the machine for events, errors, connectivity etc.

The screenshot displays the AmiClo web interface. On the left is a dark blue sidebar with the AmiClo logo and a menu containing: Machines, Templates, Playlists, Media, Configuration & Backup, Software applicative, Deploy, Remote management, and Faq. At the bottom of the sidebar are 'Go to Televend' and 'Logout' buttons.

The main content area is titled 'Machine details' and features a central image of a vending machine. Below the image, the machine name 'Opera_Touch_Uff_Marketing' is displayed. Underneath the name, the following information is shown:

- Memory usage: 167.53 KB / 5.86 MB
- Software: APPLICATIVE-COMLETEBACKUP-CONFIGURATIONGROUP
- Playlist: DISPENSING-SCREENSAVER
- Machine software version: 1.12.7


To the right of the machine image is a control panel with the following elements:

- Profile: unlimited (Credits: 197)
- Last update: 2021-12-22T15:09:00Z
- A row of two download icons with the numbers 5 and 1.
- A dark blue button labeled 'My Downloads'.
- A 'Command name' input field.
- A 'Command type' dropdown menu.
- A dark blue button labeled 'Send'.
- A 'Logs' section, highlighted with a yellow border, containing an 'Events' checkbox and an eye icon.













Machines menu

Beverages

- From this menu it is possible to manage products and recipes, but also to modify icons of single products.



The screenshot displays the AmiClo web interface. On the left is a dark blue sidebar with the AmiClo logo and a menu of options: Machines, Templates, Playlists, Media, Configuration & Backup, Software applicative, Deploy, Remote management, and Faq. At the bottom of the sidebar are 'Go to Televend' and 'Logout' buttons. The main content area shows a table titled 'List of active beverage on machine' with a subtitle 'Beverage table was lastly retrieved from cloud on date::14/12/21, 4:50 PM'. The table has four columns: Beverage, Status, Icon, and Actions. The 'Status' column for all items contains a 'Stored' button. The 'Icon' column shows various beverage icons, including coffee cups and a box labeled 'NH'. The 'Actions' column is currently empty.

| Beverage | Status | Icon | Actions |
|-------------------|--------|---|---------|
| Cioccolata | Stored |  | |
| Espresso 1 | Stored |  | |
| Espresso 2 | Stored |  | |
| Caffè Orzo | Stored |  | |
| Cappuccino 1 | Stored |  | |
| Cappuccino 2 | Stored |  | |
| Tè al limone | Stored |  | |
| Caffè Lungo 1 | Stored |  | |
| Caffè Lungo 2 | Stored |  | |
| Macchiato Orzo | Stored |  | |
| Caffè al ginseng | Stored |  | |
| Ginseng macchiato | Stored |  | |

Machines menu

Beverages

- This is the area where perform single product adjustments

The screenshot displays the Amiclo interface for editing a beverage. On the left is a dark blue sidebar with the Amiclo logo and a menu of options: Machines, Templates, Playlists, Media, Configuration & Backup, Software applicative, Deploy, Remote management, and Faq. At the bottom of the sidebar are 'Go to Televend' and 'Logout' buttons. The main content area is titled 'Beverage details' and features a central card for 'Cioccolata'. The card includes an image of a chocolate drink in a cup with a chocolate bar, the name 'Cioccolata' with an edit icon, and technical details: 'Dripping time: 3 Seconds' and 'Cup dispensed: Yes'. Below the card is a list of checkboxes for various attributes: organic, dietetic, energetic, glutenFree, lowSalt, saltySnack, sweetSnack, and vegetarian. To the right, a detailed view of the 'Cioccolata' recipe is shown, including the name 'Cioccolata' with an edit icon, the label 'Recipe steps:', and the word 'Cioccolato' with a play button icon. The 'Classic' category is selected at the top of this view.

Machines menu

Beverages

- Recipes can be managed adjusting ingredient dose and water
- Note: modification of values impact on recipes. In case many beverages are associated to the same recipe, modification will have impact on both machines

The screenshot displays the Amiclo web interface. On the left is a dark blue sidebar with the Amiclo logo and a menu containing: Machines, Templates, Playlists, Media, Configuration & Backup, Software applicative, Deploy, Remote management, and Faq. At the bottom of the sidebar are 'Go to Televend' and 'Logout' options. The main content area is titled 'Beverage details' and shows a card for 'Espresso 1' (Classic). A modal dialog is open over the card, titled 'Caffè in grani 1'. The dialog contains the text 'Maximum quantity allowed on machine 1000 impuls', a 'water' label, a numeric input field with the value '80', and an 'Ingredients Coffee Beans' field. At the bottom of the dialog are 'Close' and 'Save' buttons. In the background, a list of checkboxes for beverage attributes is visible: organic, dietetic, energetic, glutenFree, lowSalt, saltySnack, sweetSnack, and vegetarian.

Machines menu

Playlist


- Directly from machines menù it is possible to machine's playlist.

The screenshot displays the Amiclo web interface. On the left is a dark blue sidebar with the Amiclo logo and a menu with the following items: Machines, Templates, Playlists, Media, Configuration & Backup, Software applicative, Deploy, Remote management, and Faq. At the bottom of the sidebar are 'Go to Televend' and 'Logout' buttons.

The main content area shows a list of coffee machine items, each with a 'Stored' button and a small image of the coffee. Below this list is a 'Playlist table' section, highlighted with a yellow border. It includes a 'Change Playlist' button and a table with the following data:

| Playlist name | Playlist mode | Playlist type |
|---------------|---------------|---------------|
| Playlist JDE | ROLLING | Screensaver |

Below the playlist table is a 'Machine logo' section, which includes a 'Change Logo' button and a table with the following data:

| Name | Preview | Size |
|------|---|---------|
| News |  | 7.57 KB |

Machines menu

Beverages

- Directly from machine menu can be managed logo change on touch of the machine.

The screenshot displays the Amiclo management interface. On the left is a dark blue sidebar with navigation options: Machines, Templates, Playlists, Media, Configuration & Backup, Software applicative, Deploy, Remote management, and Faq. At the bottom of the sidebar are 'Go to Televend' and 'Logout' buttons.

The main content area is divided into several sections:

- Beverages List:** A table listing various coffee and chocolate drinks. Each row includes a 'Stored' button and a small image of the beverage.

| Item | Status | Image |
|-----------------------------|--------|-------|
| Caffè decaffeinato | Stored | |
| Caffè Lungo 1 150ml | Stored | |
| Caffè Lungo 2 150ml | Stored | |
| Cioccolata con latte | Stored | |
| Macchiato decaffeinato | Stored | |
| Caffè 1 con cioccolato | Stored | |
| Cappuccino decaffeinato | Stored | |
| Cappuccino con cioccolato 1 | Stored | |
- Playlist table:** A table showing playlist information with a 'Change Playlist' button.

| Playlist name | Playlist mode | Playlist type |
|---------------|---------------|---------------|
| Playlist JDE | ROLLING | Screensaver |
- Machine logo:** A section highlighted with a yellow border, containing a 'Change Logo' button and a table of installed logos.

| Name | Preview | Size |
|------|---------|---------|
| News | | 7.57 KB |

Configuration & Backup menu

ForWindows applicative configuration

- This menu allows to add configuration created through PC's app «ForWindows» which simulate the machine on Windows environment. These configurations could be then transferred to the machine through AmiClo

The screenshot displays the AmiClo web interface. On the left is a dark blue sidebar with the AmiClo logo and navigation menu items: Machines, Templates, Playlists, Media, Configuration & Backup (highlighted with a yellow box), Software applicative, Deploy, Remote management, and Faq. At the bottom of the sidebar are 'Go to Televend' and 'Logout' buttons.

The main content area is titled 'List of configuration and backup files available'. It features a search bar with a dropdown for 'Name', a search input field, and a 'Search' button. Below the search bar is an '+ Add Filter' button. Two large blue buttons are positioned below the search area: 'Archive Settings' and '+ Create New'.

There are two data tables:

- Not deployed:** A table with columns 'type' and 'Type'. It contains five rows of data:

| type | Type |
|-----------------------------------|------------------------------|
| Maestro-backup-1.1.1 bettoni-home | Complete Backup |
| Test 1.12.3 | Complete Backup |
| Test Konfiguracj Servis | Complete Backup |
| maestro 1.1.1 UK confg group | Configuration |
| maestro-gui milan 3 1.1.1 | User Interface Maestro Touch |
- Deployed:** A table with columns 'Software name' and 'Type'. It is currently empty, displaying 'No data' in the center. Below the table is a pagination control showing 'Items per page: 8' and '0 of 0'.

At the bottom of the main content area, there is a pagination control showing 'Items per page: 8' and '1 - 5 of 5' with navigation arrows.

Configuration & Backup menu

ForWindows applicative configuration

- Clicking on button +Create New a configuration can be imported (file generated by forWindows) and then downloaded in the machine.
- Note: Activation must be concluded locally through the machine menu by a technician/.

The screenshot displays the AmiClo web interface. On the left is a dark blue sidebar with the AmiClo logo and a menu containing: Machines, Templates, Playlists, Media, Configuration & Backup (highlighted with a yellow box), Software applicative, Deploy, Remote management, and Faq. At the bottom of the sidebar are 'Go to Televend' and 'Logout' buttons.

The main content area is titled 'List of configuration and backup files available'. It features a search bar with a dropdown for 'Name', a search input field, and a 'Search' button. Below the search bar is an '+ Add Filter' button. Two large blue buttons are positioned below the search area: 'Archive Settings' and '+ Create New'.

The content is divided into two sections: 'Not deployed' and 'Deployed'.

Not deployed

| type | Type |
|-----------------------------------|------------------------------|
| Maestro-backup-1.1.1 bettoni-home | Complete Backup |
| Test 1.12.3 | Complete Backup |
| Test Konfiguracj Servis | Complete Backup |
| maestro 1.1.1 UK confg group | Configuration |
| maestro-gui milan 3 1.1.1 | User Interface Maestro Touch |

At the bottom of the 'Not deployed' section, there is a pagination control showing 'Items per page: 8' and '1 - 5 of 5' with navigation arrows.

Deployed

The 'Deployed' section shows a table with columns 'Software name' and 'Type'. The table is currently empty, displaying 'No data' in the center. A red notification icon with the number '1' is visible in the top right corner of the table area. At the bottom of the table, there is a pagination control showing 'Items per page: 8' and '0 of 0' with navigation arrows.

Machine software menu


- Through Machine software menu, machine software can be downloaded on the machine.
- Machine softwares are divided by machine type, country, software version etc.

The screenshot displays the AmiClo user interface. On the left is a dark blue sidebar with a navigation menu. The 'Software applicative' menu item is highlighted with a yellow box. The main content area shows a 'Software applicative list' page. At the top of this page is a search bar with a 'Name' input field and a 'Search' button. Below the search bar is a '+ Create New' button. The main part of the page is a table listing software applications. The table has columns for 'Software name', 'Machine type', 'Language', and 'Version (valid format x.y.z eg:1.2.3)'. There are seven rows of software listed, each with a checkbox in the first column. At the bottom right of the table area, there is a pagination control showing 'Items per page: 8' and '1 - 7 of 7'.

| <input type="checkbox"/> | Software name | Machine type | Language | Version (valid format x.y.z eg:1.2.3) |
|--------------------------|---|--------------|---------------|---------------------------------------|
| <input type="checkbox"/> | 9100_SWUpdate_2.14.6_AllCountries... 9100 | | All Countries | 2.14.6 |
| <input type="checkbox"/> | Kalea_SWUpdate_1.8.16_AllCountry... KALEA | KALEA | All Countries | 1.8.16 |
| <input type="checkbox"/> | KreaTouch_SWUpdate_1.2.0_AllCou... | KREA | All Countries | 1.2.0 |
| <input type="checkbox"/> | LaRadiosa_SWUpdate_1.2.8_AllCou... | RADIOSA | All Countries | 1.2.8 |
| <input type="checkbox"/> | Maestro-1.1.1_a87b9b65 UK | MAESTRO | EN | 1.1.11 |
| <input type="checkbox"/> | Maestro_SWUpdate_1.0.5_AllCountri... | MAESTRO | All Countries | 1.0.5 |
| <input type="checkbox"/> | OperaConcerto_SWUpdate_1.12.7_C... | OPERCON | All Countries | 1.12.7 |

Deploy menu

- This menu allows to send contents on group of machines.



The screenshot displays the AmiClo web interface. On the left is a dark blue sidebar with the AmiClo logo at the top and a list of navigation items: Machines, Templates, Playlists, Media, Configuration & Backup, Software applicative, Deploy (highlighted with a yellow box), Remote management, and Faq. At the bottom of the sidebar are 'Go to Televend' and 'Logout' buttons.

The main content area is titled 'Deploy list'. It features a search bar with a dropdown menu for 'Name', a search input field, and a 'Search' button. Below the search bar is an '+ Add Filter' button. Further down are two buttons: 'Archive Settings' and '+ Create New'.


The central part of the interface is a table with the following columns: 'Deployment name', 'Type', and 'Creation date'. Each row starts with a checkbox. The table contains eight rows of deployment data.

| | Deployment name | Type | Creation date |
|--------------------------|---|--------------------|-------------------|
| <input type="checkbox"/> | Beverage playlists - 14/12/2021, 3:07:21 PM | Beverage playlist | 14/12/21, 4:07 PM |
| <input type="checkbox"/> | Beverage playlists - 14/12/2021, 3:48:04 PM | Beverage playlist | 14/12/21, 4:48 PM |
| <input type="checkbox"/> | Beverage recipes - 14/12/2021, 3:07:21 PM | Recipes | 14/12/21, 4:07 PM |
| <input type="checkbox"/> | BOILER Temperature 13/12/2021, 1:28:36 PM | Boiler Temperature | 13/12/21, 1:28 PM |
| <input type="checkbox"/> | BOILER Temperature 13/12/2021, 1:34:33 PM | Boiler Temperature | 13/12/21, 1:34 PM |
| <input type="checkbox"/> | BOILER Temperature 13/12/2021, 1:35:10 PM | Boiler Temperature | 13/12/21, 1:35 PM |
| <input type="checkbox"/> | BOILER Temperature 15/12/2021, 9:34:23 AM | Boiler Temperature | 15/12/21, 9:34 AM |
| <input type="checkbox"/> | BOILER Temperature 15/12/2021, 9:38:54 AM | Boiler Temperature | 15/12/21, 9:38 AM |

At the bottom right of the table area, there is a pagination control showing 'Items per page: 8' and '1 - 8 of 67'.

Deploy menu

- Clicking on +Create New a new object can be deployed to the machine



The screenshot displays the AmiClo web interface. On the left is a dark blue sidebar with the AmiClo logo and a list of navigation items: Machines, Templates, Playlists, Media, Configuration & Backup, Software applicative, **Deploy** (highlighted with a yellow box), Remote management, and Faq. At the bottom of the sidebar are links for 'Go to Televend' and 'Logout'.



The main content area is titled 'Deploy list'. It features a search bar with a dropdown menu for 'Name', a search input field, and a 'Search' button. Below the search bar is an '+ Add Filter' button. Two buttons are visible: 'Archive Settings' and '+ Create New' (highlighted with a yellow box).

Below the buttons is a table with the following columns: Deployment name, Type, and Creation date. The table contains eight rows of deployment data.

| <input type="checkbox"/> | Deployment name | Type | Creation date |
|--------------------------|---|--------------------|-------------------|
| <input type="checkbox"/> | Beverage playlists - 14/12/2021, 3:07:21 PM | Beverage playlist | 14/12/21, 4:07 PM |
| <input type="checkbox"/> | Beverage playlists - 14/12/2021, 3:48:04 PM | Beverage playlist | 14/12/21, 4:48 PM |
| <input type="checkbox"/> | Beverage recipes - 14/12/2021, 3:07:21 PM | Recipes | 14/12/21, 4:07 PM |
| <input type="checkbox"/> | BOILER Temperature 13/12/2021, 1:28:36 PM | Boiler Temperature | 13/12/21, 1:28 PM |
| <input type="checkbox"/> | BOILER Temperature 13/12/2021, 1:34:33 PM | Boiler Temperature | 13/12/21, 1:34 PM |
| <input type="checkbox"/> | BOILER Temperature 13/12/2021, 1:35:10 PM | Boiler Temperature | 13/12/21, 1:35 PM |
| <input type="checkbox"/> | BOILER Temperature 15/12/2021, 9:34:23 AM | Boiler Temperature | 15/12/21, 9:34 AM |
| <input type="checkbox"/> | BOILER Temperature 15/12/2021, 9:38:54 AM | Boiler Temperature | 15/12/21, 9:38 AM |

At the bottom right of the table, there is a pagination control showing 'Items per page: 8' and '1 - 8 of 67'.

Deploy menu



The image shows a 'New deploy' form with the following fields and options:

- Deployment name: bgnhtbg
- Object type: Screensaver playlist
- Object selection: Keep Calm
- Machines: TestaRossa, Kalea_Plus_showroom, Krea_Touch_Showroom
- Browse machines av: (empty)
- Save button

Select name, type, object name and machines on which perform operation

Deploy menu


– The deployment status is visible in real time. The sequence to be followed to deploy is:

1) Send content to the machine memory (Download)

The screenshot displays the Amiclo deployment interface. On the left is a dark blue sidebar with the Amiclo logo and a menu of options: Machines, Templates, Playlists, Media, Configuration & Backup, Software applicative, Deploy (highlighted), Remote management, and Faq. At the bottom of the sidebar are links for 'Go to Televend' and 'Logout'. The main content area is titled 'Deploy list' and includes a 'Refreshing deployment' button. It features three summary cards: 'Deploy name' (Newis 20/12/2021, 3:49:11 PM), 'Object name' (Newis), and 'Deploy title' (ASSET_LOGO). Below these is a table with columns 'Deploy machines' and 'On Machines Object status'. A row shows 'Opera_Touch_Uff_Marketing' with a status of 'RUNNING'. A yellow box highlights a detailed view for this deployment, showing 'DOWNLOAD' and 'ACTIVATION' tabs. The 'ACTIVATION' tab is active, displaying the deployment name 'Opera_Touch_Uff_Marketing', the time 'Dec 20, 2021, 3:49:13 PM', and a 'COMPLETED' status. At the bottom of this view are 'Download' and 'Activate' buttons.

Deploy menu

2) Activate content on the machine (Activate)



AmiClo

- Machines
- Templates
- Playlists
- Media
- Configuration & Backup
- Software applicative
- Deploy**
- Remote management
- Faq

Go to Televend

Logout

← Deploy list ↻ Refreshing deployment


| Deploy name | Object name | Deploy title |
|------------------------------|-------------|--------------|
| Newis 20/12/2021, 3:49:11 PM | Newis | ASSET_LOGO |

| Deploy machines | On Machines Object status |
|---------------------------|---------------------------|
| Opera_Touch_Uff_Marketing | RUNNING |

DOWNLOAD ACTIVATION

Opera_Touch_Uff_Marketing ^

Dec 20, 2021, 3:49:15 PM **COMPLETED**

 Download
Activate

Remote Management menu


- It can be possible to perform multiple remote management actions (reboot, reset errors) through specific menù.

The screenshot displays the AmiClo Remote Management interface. On the left is a dark blue sidebar with the AmiClo logo and a navigation menu including: Machines, Templates, Playlists, Media, Configuration & Backup, Software applicative, Deploy, Remote management (highlighted), and Faq. At the bottom of the sidebar are 'Go to Televend' and 'Logout' buttons. The main content area is a table of remote management actions. A modal window titled 'Reboot_multiplo' is open, showing a list of three actions:

| Machine Name | Start Time | End Time | Status |
|---------------------------|--------------------|--------------------|---------------------|
| La_Radiosa_showroom | 17/12/21, 10:08 AM | 17/12/21, 10:14 AM | Success (Green dot) |
| Kalea_Plus_showroom | 17/12/21, 10:08 AM | | Success (Green dot) |
| Opera_Touch_Uff_Marketing | 17/12/21, 10:08 AM | | Success (Green dot) |

The modal window also features a 'Close' button at the bottom left. The background table lists various actions such as 'Remote management name', 'Reboot_multiplo', 'reset failure', 'Reset_failure2', 'reset guasti', 'reset guasto milk', 'resetr', 'riavvio', and 'riavvio tr', each with a checkbox and a 'Machine Reboot' label.

Remote Management menu



Green icons indicate deployment is positively finished



Grazie.